

(著書・論文) : 中国での業績

- (1) The Fundamentals of Engineering Design, (2007, Industrial and Commercial Joint Press, in Chinese, all 154 pages) (張玉)
- (2) Modeling of Droplet Deformation and Breakup in Micro-channels, (2007, Master graduation Thesis) (張玉)
- (3) Flow and Deformation of Droplets in a Microfluidic Straight Quadratic Device, (2008, Transactions of Beijing Institute of Technology, (1048-1051)) (Tian-chun Chang, 張玉, Tai-yan Qin, and Zhao-liang Yu)

(論文) : 日本での業績

- (1) Analysis of Interfacial Crack by Means of Hypersingular Integro-Differential Equations (2008-8・XXII International Conference of Theoretical and Applied Mechanics CD-ROM Proceedings ISBN 978-0-9805142-1-6, paper No.11350) (野田尚昭, 張玉)
- (2) Numerical Solutions of Singular Integral Equations for Interface Cracks (2008-11・Proceedings of the Asian Conference on Mechanics of Functional Materials and Structures, October 31-November 3, 2008, Matsue, (89-92)) (野田尚昭, 張玉)
- (3) 分布荷重を受ける界面き裂の応力拡大係数について (2009-5・日本機械学会論文集, A編, 75巻753号, (619-624)) (野田尚昭, 張玉, 松林将寛, 高瀬康)
- (4) Analysis of Stress Intensity Factors of Interface Crack under Polynomial Distribution of Stress (2009-6・Proceedings of the 8th international Congress on Thermal Stress, June 1-4, 2009, University of Illinois at Urbana-Champaign, (357-361)) (野田尚昭, 張玉, 松林将寛, 高瀬康)
- (5) 界面き裂の応力拡大係数に及ぼす材料組み合わせの影響 (2009-6・Proceedings of the 14th Symposium on Fracture and Fracture Mechanics, Oct 23-24, 2009, 石垣大濱信泉記念館, (50-54)) (野田尚昭, 張玉, 蘭欣, 高瀬康, 小田和広)
- (6) Effects of Material Combination on the Interface Stress Intensity Factors (2009-11・Proceedings of the APCMM2009, Asian Pacific Conference for Materials and Mechanics 2009, November 13 - 16, 2009, Yokohama, Japan, The Japan Society of Mechanical Engineers, (a99)) (蘭欣, 野田尚昭, 張玉, 小田和広)
- (7) Stress Intensity Factors of an Interface Crack under Polynomial Distribution of Stress (2010-5・Journal of Solid Mechanics and Materials Engineering, Vol. 4 No. 5, (590-598)) (野田尚昭, 張玉, 松林将寛, 高瀬康)
- (8) Stress Intensity Factor of a Central Interface Crack in a Bonded Strip under Arbitrary

Material Combination (2010-6・Proceedings of 8th International Conference on Fracture and Strength of Solids, June 7 - 9, 2010, Kuala Lumpur, Malaysia, A308) (野田尚昭, 張玉, 蘭欣, 高石健太郎)

(9) Effect of Adhesive Thickness on the Intensity of Singular Stress at the Adhesive Dissimilar Joint (2010-6・Proceedings of Mesomechanics 2010—Multiscaling of Synthetic and Natural Systems with Self-Adaptive Capability, June 21 - 25, 2010, Taipei, Taiwan, (431-434)) (張玉, 野田尚昭, 高石健太郎, 蘭欣)

(10) Stress Intensity Factor of a Edge Interface Crack in a Bonded Strip under Arbitrary Material Combination (2010-6・Proceedings of Mesomechanics 2010—Multiscaling of Synthetic and Natural Systems with Self-Adaptive Capability, June 21 - 25, 2010, Taipei, Taiwan, (447-450)) (野田尚昭, 蘭欣, 張玉, 道中健吾)

(11) Stress Intensity Factors of an Interface Crack in a Bonded Plate under Uni-Axial Tension (2010-7・Journal of Solid Mechanics and Materials Engineering, Vol. 4 No. 7, (974-987)) (野田尚昭, 張玉, 蘭欣, 高瀬康, 小田和弘)

(12) Several Edge Interface Crack Problems under Arbitrary Material Combination (Proceedings of the Second Asian Conference on Mechanics and Structures, October 22-25, Nanjing, China, (287-290)) (野田尚昭, 張玉, 蘭欣, 高石健太郎)

(13) Several Central Interface Crack Problems under Arbitrary Material Combination (Proceedings of the Second Asian Conference on Mechanics and Structures, October 22-25, Nanjing, China, (317-320)) (蘭欣, 野田尚昭, 張玉, 道中健吾)

(14) Effect of Adhesive Thickness on the Intensity of Singular Stress at the Adhesive Dissimilar Joint (2010-10・Journal of Solid Mechanics and Materials Engineering, Vol. 4 No. 10, (1467-1479)) (張玉, 野田尚昭, 高石健太郎, 蘭欣)

(15) 任意の材料組合を考慮した縁界面き裂を有する接合半無限板の応力拡大係数 (2010-10・日本機械学会論文集, A編, 76巻770号, (1270-1277)) (野田尚昭, 蘭欣, 道中健吾, 張玉, 小田和弘)

(16) 任意の材料組合せに対する界面き裂の応力拡大係数 (き裂の相対長さの影響) (2010-12・材料, 第59巻第12号, (900-907)) (野田尚昭, 張玉, 高石謙太郎, 蘭欣)

(17) 遠方で一軸一様引張りを受ける接合板中の界面き裂の応力拡大係数 (2010-12・日本機械学会論文集, A編, 76巻772号, (1587-1595)) (野田尚昭, 張玉, 蘭欣, 高瀬康, 小田和弘)

(18) Single and Double Edge Interface Cracks in a Bonded Plate under Arbitrary Material Combination (2011-1・Key Engineering Materials Vols. 452-453, (245-248)) (蘭欣, 野田尚昭, 張玉, 道中健吾)

(19) Stress Intensity Factors of a Crack on the Interface of Adhesive and Adherents (2011-1・Key Engineering Materials Vols. 452-453, (249-252)) (張玉, 野田尚昭, 蘭欣, 高石健太郎)

- (20) Stress Intensity Factor of a Central Interface Crack in a Bonded Strip under Arbitrary Material Combination (2011-1・Key Engineering Materials Vols. 462-463, (1146-1151) (野田尚昭, 張玉, 蘭欣, 高石健太郎)
- (21) 接着接合板における接着層厚さが特異応力の強さに与える影響 (2011-2・日本機械学会論文集, A編, 77巻774号, (360-372)) (張玉, 野田尚昭, 高石謙太郎, 蘭欣)
- (22) Stress Intensity Factors of a Central Interface Crack in a Bonded Finite Plate and Periodic Interface Cracks under Arbitrary Material Combinations (2011-3・Engineering Fracture Mechanics, Vol. 78 No. 6, (1218-1232)) (張玉, 野田尚昭, 高石健太郎, 蘭欣)
- (23) Strength Analysis for the Adhesive Layer on the Basis of Intensity of Singular Stress (2011-6・11th International Conference of Mechanical Behavior of Materials Proceedings Procedia Engineering, Volume 10, paper No. 3659) (野田尚昭, 張玉, 蘭欣, 高石健太郎)
- (24) Effect of Material Combinations and Relative Crack Size on the Stress Intensity Factors of Edge Interface Cracks (2011-6・11th International Conference of Mechanical Behavior of Materials Proceedings Procedia Engineering, Volume 10, paper No. 3095) (蘭欣, 野田尚昭, 張玉, 道中健吾)
- (25) 任意の材料組合せに対する縁界面き裂を有する接合有限板の引張りにおける応力拡大係数 (2011-8・材料, 第60巻第8号, (748-755)) (蘭欣, 道中健吾, 張玉, 野田尚昭)
- (26) The Effect of Material Combinations and Relative Crack Size on the Stress Intensity Factors at the Crack Tip of a Bi-material Bonded Strip (2011-8・Engineering Fracture Mechanics, Vol. 78 No. 6, (2572-2584)) (蘭欣, 野田尚昭, 道中健吾, 張玉)